


Malar flush of mitral stenosis

- Janeway lesions



Osler's nodes –




Pallor

xanthomata

xanthelasmata



corneal arcus.



petechiae


Cyanosis

of mucous membrane and percentage of reduced globin S] 5 gm% in the


surface of the tongue.



splinter hemorrhage



- Subject's upper arms to abducted, elbows to slightly flexed, and the forearms externally rotated
- Brachial artery is palpated just medial to the biceps tendon and lateral to the medial epicondyle of the humerus





Femoral artery




Lie the patient supine if possible and explain what you are going to do.







Coronary Angiography





Echocardiography (ECHO)

V function assessment.
Complication.




No edema (severity level 0) Vascular congestion (severity level 1) Interstitial edema (severity level 2) Alveolar edema (severity level 3)





HEALTHY ECG




MOBITZ TYPE I

PR INTERVALS GRADUALLY ELONGATE UNTIL a P-WAVE is COMPLETELY BLOCKED




MOBITZ TYPE II


PR INTERVALS are CONSISTENT, but SOME P-WAVES DON'T CONDUCT




Second-Degree Atrioventricular Block: Mobitz type 1



Atrial rate = 130 BPM B. Complete or third degree A-V block:



Sinus Tachycardia



Atrial tachycardia




Atrial Fibrillation

Atrial Flutter



Usually hidden in QRS




AV nodal reentrant tachycardia AVNRT



Ventricular tachycardia


Ventricular Fibrillation (VF)



Chronic Bronchitis

(Blue Bloater or Type B)

Chronic bronchitis is defined as cough most days for 3 months for at least 2 years and can not be other pulmonary or cardiac



test

- Peak flow meter (BA): To measure peak expiratory flow rate: Diurnal variation in peak expiratory flow rate

01/14

Tripod




Fig. 1: Pursed lip breathing



Emphysema

(Pink Puffer or Type A)

Accessory muscle



Blue Bloater



Pink Puffer




After a pulse is found, a blood sample is taken from the artery





- Inhaled Sho
- Inhaled ipra
- Short acting
- Short acting



L. Reliever (rescue) medications:



with suppressed immune systems

